SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

COMPANY ADDRESS:

RedEagle International LLC 5143 S. Lakeland Drive, Suite 4 Lakeland, FL 33813

EMERGENCY TELEPHONE NUMBERS:

(800) 424-9300 (CHEMTREC, transportation and spills)(800) 222-1222 American Association of Poison Control Centers

PRODUCT NAME: CHEMICAL NAME: PRODUCT USE: PRODUCT CODE: ACIFLUORFEN 2 [Sodium 5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoate] Herbicide EPA Reg. No. 85678-18

SECTION 2 - HAZARDS IDENTIFICATION SUMMARY

(As defined by OSHA Hazard Communication Standard, 29 CFR 1910.1200)

Light yellow liquid with mild odor.

HEALTH HAZARDS: DANGER - PELIGRO.

Harmful if swallowed, in contact with skin, or inhaled. Causes irreversible eye damage and mild to severe skin irritation.



SECTION 3 – COMPOSITION, INFORMATION OF INGREDIENTS

COMPONENT	PERCENTAGE	CAS No.
Sodium Salt of Acifluorfen	20.1	62476-59-9

SECTION 4 - FIRST AID MEASURES

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by poison control center or doctor. Do not give any liquid to a person. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air, if person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: If ingested, probable mucosal damage may contraindicate the use of gastric lavage. No specific antidote. Treat symptomatically.

Have a product container or label with you when calling a poison control center or doctor, or going for treatment.

SECTION 5 - FIRE FIGHTING MEASURES

NFPA (National Fire Protection Association) HAZARD RATINGS

HEALTH	FLAMMABILITY	REACTIVITY
2	1	0

4=Severe 3=Serious 2=Moderate 1=Slight 0=Minimal

FLASHPOINT: 72°C (162° F)

EXTINGUISHING MEDIA: Use foam, dry chemical, carbon dioxide, or water spray when fighting fires involving this material.

FIRE AND EXPLOSION HAZARD: Can release irritating and toxic gases such as hydrogen chloride, hydrogen fluoride, nitrogen oxide in a fire.

FIRE FIGHTING INSTRUCTIONS: Evacuate area and fight fire upwind from a safe distance to avoid hazardous vapors and decomposition products. Dike and collect water used to fight fire to prevent environmental damage due to run off. Minimize use of water to prevent environmental contamination. **FIRE FIGHTING EQUIPMENT:** Full firefighting turn-out gear (Bunker gear) including self-contained breathing apparatus with full face piece.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

IN CASE OF SPILLS OR LEAKS: Stop the source of the spill if safe to do so. Contain the spill to prevent further contamination of soil, surface water, or ground water. Clean up spills immediately. Observe precautions in Section 8 of this document. Keep unnecessary and unprotected personnel from entering. **SMALL SPILL:** Absorb small spills with sand, vermiculite, or other absorbent inert ingredients. Place material in a container for proper disposal.

LARGE SPILL: Dike spill using absorbent or impervious material such as clay or sand. Recover and contain as much free liquid as possible for reuse or disposal. Allow absorbed material to solidify and scrape up for disposal. After removal, clean contaminated area thoroughly with water. Pick up wash liquid with additional absorbent for disposal. Minimize use of water to prevent environmental contamination.

CAUTION: Minimize use of water to prevent runoff into municipal sewers or other open bodies of water and minimize environmental contamination. Be sure to isolate any contaminated water. Contact your State Pesticide or Environmental Control Agency, or nearest EPA Regional Office for guidance on disposal.

SECTION 7 - HANDLING AND STORAGE

KEEP OUT OF REACH OF CHILDREN!

HANDLING: Use only in a well-ventilated area. Wear proper safety equipment specified in Section 8 when mixing, loading or otherwise handling concentrate. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing if pesticide gets inside clothing. Then wash thoroughly and put on clean clothing. Remove PPE after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Do not reuse container.

STORAGE: Do not store below freezing (32°F). Keep pesticide in original container. Keep container tightly closed when not in use. Store in a locked storage area. Avoid cross contamination with other pesticides or fertilizers during handling and storage. Store in a cool, dry place. Do not contaminate water, feed, or food by storage and disposal. Do not store diluted spray.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

PERSONAL PROTECTIVE EQUIPMENT:

EYE PROTECTION: SKIN PROTECTION:	Protective eyewear Long-sleeved shirt and long pants, shoes plus socks, and chemical-resistant gloves.
RESPIRATOR:	Normally not required. If handling in an enclosed environment where vapors or mists may exceed acceptable levels, wear NIOSH approved air-purifying respirator approved for pesticides.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible wash thoroughly and change into clean clothing.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Odor: pH: Melting Point: Boiling Point: Flash Point: Evaporation Rate: Flammability: Flammability Limits: Vapor Pressure: Vapor Density: Density: Solubility: Partition Coefficient: Auto-Ignition Temperature: Decomposition Temperature:	Light yellow liquid Mildly antiseptic 8.0 to 9.0 Not available 217° F 162° F No data Not flammable Not applicable No data 1.20 g/ml (10 lb/gl) @ 26° C * Soluble in water No data No data No data
Decomposition Temperature: Viscosity:	No data 10.84 cSt (25º C)
-	

* Listed density is an approximate value and does not necessarily represent that of a specific batch.

SECTION 10 - STABILITY AND REACTIVITY

PRODUCT REACTIVITY:	Non-reactive
CHEMICAL STABILITY:	Stable under recommended storage conditions.
HAZARDOUS REACTION/POLYMERIZATION	: Product will not undergo polymerization.
CONDITIONS TO AVOID:	Do not allow to freeze.
INCOMPATIBLE MATERIALS:	Oxidizing materials.
HAZARDOUS DECOMPOSITION PRODUCTS	: Oxides of carbon and nitrogen. Hydrogen chloride and
	hydrogen fluoride.

SECTION 11 - TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

 Oral LD5s (rat):
 2,205 mg/kg

 Dermal LD₅₀ (rat):
 > 2,000 mg/kg

 Inhalation LC₅₀ (rat):
 > 2.4 mg/l (4 hour)

 Eye irritation (rabbit):
 Corrosive, cause irreversible eye damage

 Skin irritation (rabbit):
 Moderate

 Sensitization (guinea pig):
 Not a contact sensitizer

 CARCINOGEN STATUS:
 The active ingredient, sodium Acifluorfen, has been identified by US EPA as a probable human carcinogen.

 Glycol Ether EB is classified Group 3 by IARC.

 TERATOGENIGITY:
 No evidence in animal studies.

MUTAGENICITY: No evidence of mutagenic effects during in vivo or in vitro studies.

SECTION 12 - ECOLOGICAL INFORMATION

ENVIRONMENTAL SUMMARY: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply where runoff might occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when cleaning equipment or disposing of equipment wash waters or rinsate.

FATE: Mobile in soil and groundwater contamination can occur where water tables are shallow and soils are conducive to leaching. This likelihood increases with the use of irrigation.

FISH TOXICITY: (technical)

96 hour LC₅₀, Rainbow trout – 54 mg/l 96 hour LC₅₀, Bluegill - 31 mg/l 48 hour EC₅₀, Daphnia magna – 28 mg/l 96 hour LC₅₀, Channel catfish – 80 mg/l 96 hour LC₅₀, Grass shrimp – 189 mg/l 96 hour LC₅₀, Fiddler crab – > 1,000 mg/l 96 hour LC₅₀, Freshwater clam – 64 mg/l 48 hour LC₅₀, Eastern oyster – 31.3 mg/l **AVIAN TOXICITY:** (technical) Dietary LD₅₀, Bobwhite quail - > 10,000 mg/kg Dietary LD₅₀, Mallard duck - > 10,000 mg/kg

SECTION 13 - DISPOSAL CONSIDERATIONS

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Excess pesticide spray, mixture, or rinsate resulting from the use of this product can be disposed of onsite according to label instructions or at an approved waste disposal facility. Improper disposal is a violation of Federal Law.

CONTAINER DISPOSAL: Non-refillable container: Do not reuse or refill this container. Offer for recycling, if available. Triple rinse or pressure rinse container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. Refer to the product label for additional and complete Container Handling instructions.

SECTION 14 - TRANSPORT INFORMATION

DOT:Not regulatedICAO:Not regulatedIATA:Not regulatedIMDG/IMO:Not regulated

SECTION 15 - REGULATORY INFORMATION

CERCLA REPORTABLE QUANTITY: SARA TITLE III	n/a
311/312 HAZARD CATEGORY:	Immediate health (acute), Delayed health (chronic)
313 REPORTABLE INGREDIENTS:	Acifluorfen, Sodium Salt
	2-Butoxyethanol
CALIFORNIA PROP 65: WARNING:	This product contains a chemical (Acifluorfen) known to cause
	cancer to the state of California.
TSCA:	Exempted - solely for FIFRA regulated use.

SECTION 16 - OTHER INFORMATION

NFPA (National Fire Protection Association) HAZARD RATINGS

HEALTH		FLAMMABILITY		REACTIVITY
2		1		0
4-500000	2-Sorious	2-Modorato	1-Slight	0-Minimal

4=Severe 3=Serious 2=Moderate 1=Slight 0=Minimal

DISCLAIMER AND LIMITATION OF LIABILITY: The information presented herein is based on available data from reliable sources and is correct to the best of our knowledge. It does not relate to the use of such materials in combination with any other material or process. RedEagle International LLC makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. RedEagle International LLC disclaims all liability for reliance on such information. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions.

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFYTHE EPA APPROVED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course. Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. This data sheet is not a guarantee of safety. Users are responsible for insuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.

It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPAapproved label.